





































SuperTag® Ink	SuperTag® III	SuperTag® III Lanyard	Alarming SuperTag® 2T Pin Version	Alarming SuperTag® 2T Lanyard 15cm/6in.	Alarming SuperTag® 2T Lanyard 152m/60in.	Alarming SuperTag® 3T Pin Version	Alarming SuperTag® 3T Lanyard 15cm/6in.	Alarming SuperTag® 3T Lanyard 152cm/60in.
 <b>ZL310Y-G</b>	 <b>ZL303-G</b>	 <b>ZL303L-4G</b>	 <b>ZLAMT-3100A2P</b>	 <b>ZLAMT-3100A2L</b>	 <b>ZLAMT-3100A2L15</b>	 <b>ZLAMT-3100A3P</b>	 <b>ZLAMT-3100A3L</b>	 <b>ZLAMT-3100A3L15</b>
<b>Detacher</b>	<b>Detacher</b>	<b>Detacher</b>	<b>Detacher</b>	<b>Detacher</b>	<b>Detacher</b>	<b>Detacher</b>	<b>Detacher</b>	<b>Detacher</b>
 <b>MK 225 MKAMK1000DT MKAMK1010FM</b>	 <b>MK 225 MKAMK1000DT MKAMK1010FM</b>	 <b>MK 225 MKAMK1000DT MKAMK1010FM</b>	 <b>MK 225 MKAMK1000DT MKAMK1010FM</b>	 <b>MK 225 MKAMK1000DT MKAMK1010FM</b>	 <b>MK 225 MKAMK1000DT MKAMK1010FM</b>	 <b>MK 225 MKAMK1000DT MKAMK1010FM</b>	 <b>MK 225 MKAMK1000DT MKAMK1010FM</b>	 <b>MK 225 MKAMK1000DT MKAMK1010FM</b>
<b>Features</b>	<b>Features</b>	<b>Features</b>	<b>Features</b>	<b>Features</b>	<b>Features</b>	<b>Features</b>	<b>Features</b>	<b>Features</b>
<ul style="list-style-type: none"> <li>• Integrated ink to reduce cutoff attacks</li> <li>• Premium performance and durability</li> <li>• Patented spring gate for superior defeat resistance</li> <li>• Patented rotary clamp lock<sup>1</sup></li> </ul>	<ul style="list-style-type: none"> <li>• Smallest re-usable SuperTag® design</li> <li>• Premium performance and durability</li> <li>• Patented spring gate for superior defeat</li> <li>• Patented rotary clamp lock<sup>1</sup></li> </ul>	<ul style="list-style-type: none"> <li>• 4" – 10cm multi strand steel cable</li> <li>• Smallest re-usable SuperTag® design</li> <li>• Premium performance and durability</li> <li>• Patented spring gate for superior defeat</li> <li>• Patented rotary clamp lock<sup>1</sup></li> </ul>	<ul style="list-style-type: none"> <li>• Audible Alarm</li> <li>• High Coercivity Bias</li> <li>• Super Tag Design</li> <li>• LED Status Display</li> <li>• Tag Identification *Alarm Feature 3T *Alarm Feature 2T *Lanyard Options</li> </ul>	<ul style="list-style-type: none"> <li>• Audible Alarm</li> <li>• High Coercivity Bias</li> <li>• Super Tag Design</li> <li>• LED Status Display</li> <li>• Tag Identification *Alarm Feature 3T *Alarm Feature 2T *Lanyard Options</li> </ul>	<ul style="list-style-type: none"> <li>• Audible Alarm</li> <li>• High Coercivity Bias</li> <li>• Super Tag Design</li> <li>• LED Status Display</li> <li>• Tag Identification *Alarm Feature 3T *Alarm Feature 2T *Lanyard Options</li> </ul>	<ul style="list-style-type: none"> <li>• Audible Alarm</li> <li>• High Coercivity Bias</li> <li>• Super Tag Design</li> <li>• LED Status Display</li> <li>• Tag Identification *Alarm Feature 3T *Alarm Feature 2T *Lanyard Options</li> </ul>	<ul style="list-style-type: none"> <li>• Audible Alarm</li> <li>• High Coercivity Bias</li> <li>• Super Tag Design</li> <li>• LED Status Display</li> <li>• Tag Identification *Alarm Feature 3T *Alarm Feature 2T *Lanyard Options</li> </ul>	<ul style="list-style-type: none"> <li>• Audible Alarm</li> <li>• High Coercivity Bias</li> <li>• Super Tag Design</li> <li>• LED Status Display</li> <li>• Tag Identification *Alarm Feature 3T *Alarm Feature 2T *Lanyard Options</li> </ul>
<b>Applications</b>	<b>Applications</b>	<b>Applications</b>	<b>Applications</b>	<b>Applications</b>	<b>Applications</b>	<b>Applications</b>	<b>Applications</b>	<b>Applications</b>
<ul style="list-style-type: none"> <li>• Apparel and some fine apparel</li> </ul>	<ul style="list-style-type: none"> <li>• Apparel and general merchandise</li> </ul>	<ul style="list-style-type: none"> <li>• General merchandise</li> </ul>	<ul style="list-style-type: none"> <li>• High End &amp; Specialty stores. Sporting Goods, Consumer Electronics and DIY's</li> </ul>	<ul style="list-style-type: none"> <li>• High End &amp; Specialty stores. Sporting Goods, Consumer Electronics and DIY's</li> </ul>	<ul style="list-style-type: none"> <li>• High End and Specialty stores. Sporting Goods, Consumer Electronics and DIY's</li> </ul>	<ul style="list-style-type: none"> <li>• High End and Specialty stores. Sporting Goods, Consumer Electronics and DIY's</li> </ul>	<ul style="list-style-type: none"> <li>• High End and Specialty stores. Sporting Goods, Consumer Electronics and DIY's</li> </ul>	<ul style="list-style-type: none"> <li>• High End and Specialty stores. Sporting Goods, Consumer Electronics and DIY's</li> </ul>
















Super Tag <sup>®</sup> Ink	SuperTag <sup>®</sup> III	SuperTag <sup>®</sup> III Lanyard	Alarming SuperTag <sup>®</sup> 2T Pin Version	Alarming SuperTag <sup>®</sup> 2T Lanyard 15cm/6in.	Alarming SuperTag <sup>®</sup> 2T Lanyard 152m/60in.	Alarming SuperTag <sup>®</sup> 3T Pin Version	Alarming SuperTag <sup>®</sup> 3T Lanyard 15cm/6in.	Alarming SuperTag <sup>®</sup> 3T Lanyard 152cm/60in.
<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•SuperTag hand &amp; power detachers</li> </ul> <b>Tacks</b> <ul style="list-style-type: none"> <li>•MJ200-G (Gray)</li> <li>•MJ200-B (Black)</li> <li>•MJ200L-W (Long)</li> <li>•ST13564</li> <li>•MJVT-2</li> </ul> <b>Accessories</b> <ul style="list-style-type: none"> <li>•VersaTack<sup>®</sup></li> <li>•Versatie</li> <li>• Lanyards (MXSTL, MXGL)</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•SuperTag hand &amp; power detachers</li> </ul> <b>Tacks</b> <ul style="list-style-type: none"> <li>•MJ200-G (Gray)</li> <li>•MJ200-B (Black)</li> <li>•MJ200L-W (Long)</li> <li>•ST13564</li> <li>•MJVT-2</li> </ul> <b>Accessories</b> <ul style="list-style-type: none"> <li>•VersaTack<sup>®</sup></li> <li>•Versatie</li> <li>• Lanyards (MXSTL, MXGL)</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•SuperTag hand &amp; power detachers</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• SuperTag hand &amp; power detachers</li> </ul> <b>Tacks</b> <ul style="list-style-type: none"> <li>•MJ200-G (Gray)</li> <li>•MJ200-B (Black)</li> <li>•MJ200L-W (Long)</li> </ul> <b>Accessories</b> <ul style="list-style-type: none"> <li>•VersaTack<sup>®</sup></li> <li>•Versatie</li> <li>• Lanyards (MXSTL, MXGL)</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•SuperTag hand &amp; power detachers</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•SuperTag hand &amp; power detachers</li> </ul> <b>Tacks</b> <ul style="list-style-type: none"> <li>•MJ200-G (Gray)</li> <li>•MJ200-B (Black)</li> <li>•MJ200L-W (Long)</li> </ul> <b>Accessories</b> <ul style="list-style-type: none"> <li>•VersaTack<sup>®</sup></li> <li>•Versatie</li> <li>• Lanyards (MXSTL, MXGL)</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•SuperTag hand &amp; power detachers</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•SuperTag hand &amp; power detachers</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•SuperTag hand &amp; power detachers</li> </ul>
<b>Max. Dimensions (LWH)</b> 3.1 x 1.2 x 0.74" 79 x 30.50 x 18.8mm  Wt. – 16.8g	<b>Max. Dimensions (LWH)</b> 2.72 x 1.2 x 0.74" 69 x 30.5 x 18.8mm  Wt. – 9.7g	<b>Max. Dimensions (LWH)</b> 2.72 x 1.2 x 0.74" 69 x 30.5 x 18.8mm  Wt. – 11.9g	<b>Max. Dimensions (LWH)</b> 3.46 x 1.22 x 0.83" 88 x 31 x 21mm  Wt. – 22g	<b>Max. Dimensions (LWH)</b> 3.46 x 1.22 x 0.94" 88 x 31 x 24mm  Wt. – 24.9g	<b>Max. Dimensions (LWH)</b> 3.46 x 1.22 x 0.94" 88 x 31 x 24mm  Wt. – 39.6g	<b>Max. Dimensions (LWH)</b> 3.46 x 1.22 x 0.83" 88 x 31 x 21mm  Wt. – 22.1g	<b>Max. Dimensions (LWH)</b> 3.46 x 1.22 x 0.94" 88 x 31 x 24mm  Wt. – 26g	<b>Max. Dimensions (LWH)</b> 3.46 x 1.22 x 0.94" 88 x 31 x 24mm  Wt. – 40.7g
<b>Pullout force</b> 140 lbs 63.50kg	<b>Pullout force</b> 140 lbs. 63.50kg	<b>Pullout force</b> 140 lbs. 63.50kg	<b>Pullout force</b> 140 lbs. 63.50kg	<b>Pullout force</b> 140 lbs. 63.50kg	<b>Pullout force</b> 140 lbs. 63.50kg	<b>Pullout force</b> 140 lbs. 63.50kg	<b>Pullout force</b> 140 lbs. 63.50kg	<b>Pullout force</b> 140 lbs. 63.50kg

Ultra• Lite Tag® AT	Ultra• Lite Tag® Lanyard	Ultra• Lite Tag® MT	Ultra•Tag PT Pinless EAS Solution	Asset Tag	Ultra•Lock®	AMT-3200 Hard Tag Standard Tack Version	AMT-3200 Hard Tag Steel Lanyard	AMT-3200 Hard Tag Plastic Lanyard
 ZL400A-G	 ZL400AL-4G	 ZL410B-G	 ZLAMT4100P-G	 ZL31-G <b>Reinstated</b>	 ZLULOCK-1	 ZLAMT3200-G	 ZLAMT3200L-G	 ZLAMT3200PL-G
Detacher	Detacher	Detacher	Detacher	Detacher	Detacher	Detacher	Detacher	Detacher
 MKD400-BL	 MKD400-BL	 MKD400-BL	 MKD400-BL	 MKD31-B MKD31-BL	 MKD31-B MKD31-BL	 MKD31-B MKD31-BL	 MKD31-B MKD31-BL	 MKD31-BL
Features	Features	Features	Features	Features	Features	Features	Features	Features
<ul style="list-style-type: none"> <li>• Proprietary high strength magnetic clamp</li> <li>• Offers high security, ease of application and ease of removal</li> <li>• Ultra•Max performance and durability</li> <li>• High coercivity bias resists magnetic defeats</li> </ul>	<ul style="list-style-type: none"> <li>• 4" 10cm multi-strand steel cable</li> <li>• Proprietary high strength magnetic clamp</li> <li>• Ultra•Max performance and durability</li> <li>• High coercivity bias resists magnetic defeats</li> </ul>	<ul style="list-style-type: none"> <li>• Proprietary high strength magnetic clamp</li> <li>• Offers high security, ease of application and ease of removal</li> <li>• Ultra•Max performance and durability</li> <li>• High coercivity bias resists magnetic defeats</li> </ul>	<ul style="list-style-type: none"> <li>• Adjustable Metal Clip</li> <li>• Small Sleek Design</li> <li>• High Strength Magnetic decoupling Platform</li> <li>• Bias Resonator technology</li> <li>• High Integrity Tag</li> <li>• Ease of application and removal</li> </ul>	<ul style="list-style-type: none"> <li>• Small, lightweight</li> <li>• Ultra•Max performance, durability</li> <li>• High strength clutch lock<sup>3</sup></li> </ul>	<ul style="list-style-type: none"> <li>• Combines Ultra•Max EAS and Benefit Denial</li> <li>• Ultra•Max performance and durability</li> <li>• Four different clamp sizes</li> <li>• Magnetic ball lock<sup>4</sup></li> </ul>	<ul style="list-style-type: none"> <li>• Reliable Performance</li> <li>• Lightweight</li> <li>• Sleek aesthetic design</li> <li>• Defeat resistant design</li> <li>• High Security</li> <li>• Compatible with 58kHz Ultra•Max® AM Detection Systems</li> </ul>	<ul style="list-style-type: none"> <li>• Reliable Performance</li> <li>• Lightweight</li> <li>• Sleek aesthetic design</li> <li>• Defeat resistant design</li> <li>• High Security</li> <li>• Compatible with 58kHz Ultra•Max® AM Detection Systems</li> </ul>	<ul style="list-style-type: none"> <li>• Reliable Performance</li> <li>• Lightweight</li> <li>• Sleek aesthetic design</li> <li>• Defeat resistant design</li> <li>• High Security</li> <li>• Compatible with 58kHz Ultra•Max® AM Detection Systems</li> </ul>
Applications	Applications	Applications	Applications	Applications	Applications	Applications	Applications	Applications
<ul style="list-style-type: none"> <li>• Apparel, delicates, accessories</li> </ul>	<ul style="list-style-type: none"> <li>• Apparel, delicates, accessories</li> </ul>	<ul style="list-style-type: none"> <li>• Bottles, sporting goods, luggage, power tools</li> </ul>	<ul style="list-style-type: none"> <li>• Department Store, Specialty Apparel, Discount, Mass Merchandise, Sporting Goods and DIY's</li> </ul>	<ul style="list-style-type: none"> <li>• Apparel, delicates, accessories, shoes</li> </ul>	<ul style="list-style-type: none"> <li>• Eyewear, fine jewelry</li> </ul>	<ul style="list-style-type: none"> <li>• Department Store, Specialty Apparel, Mass Merchandise, Sporting Goods and DIY and Jewelry</li> </ul>	<ul style="list-style-type: none"> <li>• Department Store, Specialty Apparel, Mass Merchandise, Sporting Goods and DIY and Jewelry</li> </ul>	<ul style="list-style-type: none"> <li>• Department Store, Specialty Apparel, Mass Merchandise, Sporting Goods and DIY and Jewelry</li> </ul>

# Ultra•Max<sup>®</sup> Tag Matrix

# Tyco Retail Solutions















Ultra• Lite Tag <sup>®</sup> AT	Ultra• Lite Tag <sup>®</sup> Lanyard	Ultra• Lite Tag <sup>®</sup> MT	Ultra•Tag PT Pinless EAS Solution	AssetTag	Ultra•Lock <sup>®</sup>	AMT-3200 Hard Tag Standard Tack Version	AMT-3200 Hard Tag Steel Lanyard	AMT-3200 Hard Tag Plastic Lanyard
<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>
<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•Ultra Tag MKD400-BL detachers</li> </ul> <b>Tacks</b> <ul style="list-style-type: none"> <li>• MJ400-G</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•Ultra Tag MKD400-BL detachers</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•Ultra Tag MKD400-BL detachers</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•Ultra Tag MKD400-BL detachers</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•Magnetic detachers</li> </ul> <b>Tacks</b> <ul style="list-style-type: none"> <li>• MJTT-1</li> <li>• MJ31L-W (Long)</li> <li>• MJAMT3200-G</li> <li>• MJAMT3200-S</li> </ul> <b>ACCESSORIES</b> <ul style="list-style-type: none"> <li>•Lanyard (MXETL)</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•Magnetic detachers</li> </ul> <b>Accessories</b> <ul style="list-style-type: none"> <li>• ZLUCLIP-1 (A)</li> <li>• ZLUCLIP-2 (B)</li> <li>• ZLUCLIP-3 (C)</li> <li>• ZLUCLIP-4 (D)</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•Magnetic detachers MKD31-BL</li> </ul> <b>Tacks</b> <ul style="list-style-type: none"> <li>• MJAMT3200-G</li> <li>• MJAMT3200-S</li> <li>• MJTT-1</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>• Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•Magnetic detachers MKD31-BL</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•Magnetic detachers MKD31-BL</li> </ul>
<b>Max. Dimensions (LWH)</b> 2.4 x 0.85 x 0.71" 60.8 x 21.47 x 18mm  Wt. - 5.4g	<b>Max. Dimensions (LWH)</b> 2.4 x 0.85 x 0.71" 60.8 x 21.47 x 18mm  Wt. - 7.0g	<b>Max. Dimensions (LW)</b> 2.1 x 0.51" 54 x 13mm  Wt. - 9g	<b>Max. Dimensions (LWH)</b> Overall length Closed 63.5mm (2.5 in) Overall length Open 76.0mm (3.0 in) Overall Thickness 14.5 mm (.57 in)  Wt. -23.8g	<b>Max. Dimensions (LWH)</b> 2.2 x 0.64 x 0.73" 56 x 16.2 x 18.6 mm  Wt: 7.2 g	<b>Max. Dimensions (LWH)</b> 1.97 x 0.95 x 0.47" 50 x 24 x 12mm  Wt. - 7.4g	<b>Max. Dimensions (LWH)</b> 2.3 x 0.76 x 0.68" 59.7 x19.5x17.3 mm  Wt. - 5.1g	<b>Max. Dimensions (LWH)</b> 2.3 x .76 x .68" 59.7x 19.5 x 17.3mm Wt. - 6.4g Lanyard length 10cm	<b>Max. Dimensions (LWH)</b> 2.3 x .63 x 0.85" 59.2 x 16.2 x 21.8mm  Wt. - 7.0g
<b>Pullout force</b>	<b>Pullout force</b>	<b>Pullout force</b>	<b>Pullout force</b>	<b>Pullout force</b>	<b>Pullout force</b>	<b>Pullout force</b>	<b>Pullout force</b>	<b>Pullout force</b>
140 lbs. 63.50kg	140 lbs. 63.50kg	90 lbs. 40.82kg	100 lbs. 45.35kg	120 lbs. 54.43kg	80 lbs. 36.28kg	100 lbs. 45.35kg	100 lbs. 45.35kg	100 lbs. 45.35kg

Ultra•Tag Wrap Tag 2 Tone Alarm	Ultra•Tag Wrap Tag 2 Tone Alarm	Ultra•Tag Wrap Tag 2 Tone Alarm	Ultra•Tag Wrap Tag 2 Tone Alarm	Ultra•Ink™	AMT-5000 Hard Tag Eyelet	AMT-5000 Hard Tag Non-Adhesive	AMT-5000 Hard Tag Adhesive
 ZLAMT9250	 ZLAMT9290	 ZLAMT9350	 ZLAMT9390	 ZL110BY-WL ZL110BY-W (top only) <b>EOL 3/30/12</b>	 ZLAMT5000T-G	 ZLAMT5000-G	 ZLAMT5000A-G
Detacher	Detacher	Detacher	Detacher	Detacher	Detacher	Detacher	Detacher
 MKD31-BL	 MKD400-BL   MKDAMK-4100-CBL MKDAMK-4100-RBL MKDAMK4200-BL MKDAMK4300-BL	 MKD31-BL	 MKD400-BL   MKDAMK-4100-CBL MKDAMK-4100-RBL MKDAMK4200-BL MKDAMK4300-BL	 MKD31-B MKD31-BL	No Detacher Required	No Detacher Required	No Detacher Required
Features	Features	Features	Features	Features	Features	Features	Features
<ul style="list-style-type: none"> <li>• Audible alarm</li> <li>• Non-deactivatable label</li> <li>• Expandable cables</li> <li>• High Integrity Cables</li> <li>• LED status display</li> <li>• High-strength magnetic locking mechanism</li> <li>• Robust ABS housing</li> </ul>	<ul style="list-style-type: none"> <li>• Audible alarm</li> <li>• Non-deactivatable label</li> <li>• Expandable cables</li> <li>• High Integrity Cables</li> <li>• LED status display</li> <li>• High-strength magnetic locking mechanism</li> <li>• Robust ABS housing</li> </ul>	<ul style="list-style-type: none"> <li>• Audible alarm</li> <li>• Non-deactivatable label</li> <li>• Expandable cables</li> <li>• High Integrity Cables</li> <li>• LED status display</li> <li>• High-strength magnetic locking mechanism</li> <li>• Robust ABS housing</li> </ul>	<ul style="list-style-type: none"> <li>• Audible alarm</li> <li>• Non-deactivatable label</li> <li>• Expandable cables</li> <li>• High Integrity Cables</li> <li>• LED status display</li> <li>• High-strength magnetic locking mechanism</li> <li>• Robust ABS housing</li> </ul>	<ul style="list-style-type: none"> <li>• Combines Ultra•Max EAS and Benefit Denial performance</li> <li>• Contains SuperTag II bias and resonator</li> <li>• Patented ink diffusion pad for consistent ink disbursement</li> <li>• Permanent, non-toxic and non-flammable ink will not freeze<sup>5</sup></li> </ul>	<ul style="list-style-type: none"> <li>• Cost Effective tagging option</li> <li>• Compatible with 58kHz Ultra•Max® AM Detection Systems</li> <li>• Small footprint</li> <li>• Sleek aesthetic design</li> <li>• Defeat resistant design</li> </ul>	<ul style="list-style-type: none"> <li>• Cost Effective tagging option</li> <li>• Compatible with 58kHz Ultra•Max® AM Detection Systems</li> <li>• Small footprint</li> <li>• Sleek aesthetic design</li> <li>• Defeat resistant design</li> </ul>	<ul style="list-style-type: none"> <li>• Cost Effective tagging option</li> <li>• Compatible with 58kHz Ultra•Max® AM Detection Systems</li> <li>• Small footprint</li> <li>• Sleek aesthetic design</li> <li>• Defeat resistant design</li> </ul>
Applications	Applications	Applications	Applications	Applications	Applications	Applications	Applications
<ul style="list-style-type: none"> <li>• Computer Software, Electronic tools, Video and Audio equipment.</li> </ul>	<ul style="list-style-type: none"> <li>• Computer Software, Electronic tools, Video and Audio equipment.</li> </ul>	<ul style="list-style-type: none"> <li>• Computer Software, Electronic tools, Video and Audio equipment.</li> </ul>	<ul style="list-style-type: none"> <li>• Computer Software, Electronic tools, Video and Audio equipment.</li> </ul>	<ul style="list-style-type: none"> <li>• Apparel</li> </ul>	<ul style="list-style-type: none"> <li>• Department Store, Specialty Apparel, Mass Merchandise, Sporting Goods and DIY and Jewelry</li> </ul>	<ul style="list-style-type: none"> <li>• Department Store, Specialty Apparel, Mass Merchandise, Sporting Goods and DIY and Jewelry</li> </ul>	<ul style="list-style-type: none"> <li>• Department Store, Specialty Apparel, Mass Merchandise, Sporting Goods and DIY and Jewelry</li> </ul>

# Ultra•Max<sup>®</sup> Tag Matrix

# Tyco Retail Solutions

Ultra•Tag Wrap Tag 2 Tone Alarm	Ultra•Tag Wrap Tag 2 Tone Alarm	Ultra•Tag Wrap Tag 3 Tone Alarm	Ultra•Tag Wrap Tag 3 Tone Alarm	Ultra•Ink™	AMT-5000 Hard Tag Eyelet version	AMT-5000 Hard Tag Non-Adhesive	AMT-5000 Hard Tag Adhesive
<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>	<b>Compatibility</b>
<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• MKD31-BL</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• MKD400-BL</li> <li>• AMK4100's (CBL/RBL)</li> <li>• AMK-4200</li> <li>• AMK- 4300</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• MKD31-BL</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• MKD400-BL</li> <li>• AMK4100's (CBL/RBL)</li> <li>• AMK-4200</li> <li>• AMK- 4300</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>•Magnetic detachers</li> </ul> <b>Accessories</b> <ul style="list-style-type: none"> <li>• SuperClamp, all other SuperTags</li> <li>• MicroClamp<sup>®</sup> and Ultra*Gator</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul>	<b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul>
<b>Max. Dimensions</b>	<b>Max. Dimensions</b>	<b>Max. Dimensions</b>	<b>Max. Dimensions</b>	<b>Max. Dimensions (LWH)</b>	<b>Max. Dimensions (LWH)</b>	<b>Max. Dimensions (LWH)</b>	<b>Max. Dimensions (LWH)</b>
<b>Diameter :</b> 73mm (2.87 in) <b>Thickness:</b> 25mm (0.98 in) <b>Cable Length:</b> 900mm maximum (35.4 in)	<b>Diameter :</b> 73mm (2.87 in) <b>Thickness:</b> 25mm (0.98 in) <b>Cable Length:</b> 900mm maximum (35.4 in)	<b>Diameter :</b> 73mm (2.87 in) <b>Thickness:</b> 25mm (0.98 in) <b>Cable Length:</b> 900mm maximum (35.4 in)	<b>Diameter :</b> 73mm (2.87 in) <b>Thickness:</b> 25mm (0.98 in) <b>Cable Length:</b> 900mm maximum (35.4 in)	1.89 x 1.57 x 0.65" 48 x 40 x 16.4mm  Wt. – 21.8g	52 x 10.3 x 3.95mm  Wt. –1.8g	42 x 9 x 3.95mm  Wt. – 1.4g	42 x 9 x4.95mm  Wt. – 1.5g
				<b>Pullout force</b>			
				100 lbs 45.35kg			

Ultra Tag Wrap 2 Tone Alarm Small	Ultra Tag Wrap 2 Tone Alarm Small	Ultra Tag Wrap 2 Tone Alarm Long	Ultra Tag Wrap 2 Tone Alarm Long	Ultra Tag Wrap 3 Tone Alarm Long	Ultra Tag Wrap 3 Tone Alarm Long	Ultra•Gator <sup>®</sup>
 ZLAMT6425	 ZLAMT6429	 ZLAMT1825	 ZLAMT1829	 ZLAMT1835	 ZLAMT1839	 ZL92BXP
Detacher	Detacher	Detacher	Detacher	Detacher	Detacher	Detacher
						 MK751 - 01MK91-02 MK91 - 01MK91-02
Features	Features	Features	Features	Features	Features	Features
<ul style="list-style-type: none"> <li>• 7 Strand aircraft cable</li> <li>• Audible alarm for added level of security</li> <li>• Expandable cables for a broad range valued merchandise</li> <li>• Ease of removal with detacher to expedite throughput</li> <li>• Three(3) Year Battery Life</li> </ul>	<ul style="list-style-type: none"> <li>• 7 Strand aircraft cable</li> <li>• Audible alarm for added level of security</li> <li>• Expandable cables for a broad range valued merchandise</li> <li>• Ease of removal with detacher to expedite throughput</li> <li>• Three(3) Year Battery Life</li> </ul>	<ul style="list-style-type: none"> <li>• 7 Strand aircraft cable</li> <li>• Audible alarm for added level of security</li> <li>• Expandable cables for a broad range valued merchandise</li> <li>• Ease of removal with detacher to expedite throughput</li> <li>• Three(3)Year Battery Life</li> </ul>	<ul style="list-style-type: none"> <li>• 7 Strand aircraft cable</li> <li>• Audible alarm for added level of security</li> <li>• Expandable cables for a broad range valued merchandise</li> <li>• Ease of removal with detacher to expedite throughput</li> <li>• Three(3) Year Battery Life</li> </ul>	<ul style="list-style-type: none"> <li>• 7 Strand aircraft cable</li> <li>• Audible alarm for added level of security</li> <li>• Expandable cables for a broad range valued merchandise</li> <li>• Ease of removal with detacher to expedite throughput</li> <li>• Three(3) Year Battery Life</li> </ul>	<ul style="list-style-type: none"> <li>• 7 Strand aircraft cable</li> <li>• Audible alarm for added level of security</li> <li>• Expandable cables for a broad range valued merchandise</li> <li>• Ease of removal with detacher to expedite throughput</li> <li>• Three(3) Year Battery Life</li> </ul>	<ul style="list-style-type: none"> <li>• Traditional Spring clamp lock<sup>2</sup> design</li> <li>• Ultra•Max performance and durability</li> <li>• Moderate defeat resistance</li> </ul>
Applications	Applications	Applications	Applications	Applications	Applications	Applications
<ul style="list-style-type: none"> <li>• Software, Video Games, CD/DVD Collections, Sm. Electronics, Small Hand tools, Gift Boxes</li> </ul>	<ul style="list-style-type: none"> <li>• Software, Video Games, CD/DVD Collections, Sm. Electronics, Small Hand tools, Gift Boxes</li> </ul>	<ul style="list-style-type: none"> <li>• Plasma/LCD TV's, Computers, Monitors, Large Electronics, Large Power Tools, Ceiling Fans, Printers</li> </ul>	<ul style="list-style-type: none"> <li>• Plasma/LCD TV's, Computers, Monitors, Large Electronics, Large Power Tools, Ceiling Fans, Printers</li> </ul>	<ul style="list-style-type: none"> <li>• Plasma/LCD TV's, Computers, Monitors, Large Electronics, Large Power Tools, Ceiling Fans, Printers</li> </ul>	<ul style="list-style-type: none"> <li>• Plasma/LCD TV's, Computers, Monitors, Large Electronics, Large Power Tools, Ceiling Fans, Printers</li> </ul>	<ul style="list-style-type: none"> <li>• Apparel and general merchandise</li> </ul>

Ultra Tag Wrap 2 Tone Alarm Small	Ultra Tag Wrap 2 Tone Alarm Small	Ultra Tag Wrap 2 Tone Alarm Long	Ultra Tag Wrap 2 Tone Alarm Long	Ultra Tag Wrap 3 Tone Alarm Long	Ultra Tag Wrap 3 Tone Alarm Long	Ultra*Gator <sup>®</sup>
<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• MKD31-BL</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• MKD400-BL AMK4100's (CBL/RBL) AMK-4200 AMK- 4300</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• MKD31-BL</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• MKD400-BL AMK4100's (CBL/RBL) AMK-4200 AMK- 4300</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• MKD31-BL</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>•Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• MKD400-BL AMK4100's (CBL/RBL) AMK-4200 AMK- 4300</li> </ul>	<b>Compatibility</b>  <b>EAS</b> <ul style="list-style-type: none"> <li>• Ultra•Max systems</li> </ul> <b>Detachers</b> <ul style="list-style-type: none"> <li>• Ultra*Gator hand &amp; power detachers</li> </ul> <b>Tacks</b> <ul style="list-style-type: none"> <li>• MJ25-2P</li> <li>• MJ31L-W – <i>use with thick apparel only</i></li> </ul> <b>Accessories</b> <ul style="list-style-type: none"> <li>• VersaTack<sup>®</sup></li> <li>• Versatie</li> <li>• Lanyards(MXGL)</li> </ul>
<b>Max. Dimensions (LWH)</b>  25.2 x 1.92 x 1.85"  640mm x 50mm x 47mm  Wt. 1.8 .oz / 51.02 g	<b>Max. Dimensions (LWH)</b>  25.2 x 1.92 x 1.85"  640mm x 50mm x 47mm  Wt. 1.8 .oz / 51.02 g	<b>Max. Dimensions (LWH)</b>  70.86 x 2.9 x 0.96 "  1800mm x 73mm x 25mm  Wt. 4.1 .oz / 116.23grams	<b>Max. Dimensions (LWH)</b>  70.86 x 2.9 x 0.96 "  1800mm x 73mm x 25mm  Wt. 4.1 .oz / 116.23grams	<b>Max. Dimensions (LWH)</b>  70.86 x 2.9 x 0.96 "  1800mm x 73mm x 25mm  Wt. 4.2 .oz / 119.07grams	<b>Max. Dimensions (LWH)</b>  70.86 x 2.9 x 0.96 "  1800mm x 73mm x 25mm  Wt. 4.2 .oz / 119.07grams	<b>Max. Dimensions (LWH)</b>  3.7 x 1.1 x 0.25"  95 x 29 x 16.4mm  Wt. 0.46 oz / 13.2g
						<b>Pullout force</b>
						120 lbs.  54.43kg

- Rotary clamp** Sensormatic patent protected, premium defeat-resistant rotating clamp fastens around the tack's pin. The detacher releases the tack by rotating the clamp away from the pin.
- Spring clamp** A flat piece of metal creates a highly defeat resistant locking mechanism. The tack's pin pushes through a small opening in the metal and is held in place by the return force of the metal as it attempts to resume its former shape. The detacher warps the metal further to release the pin.
- Ball clutch** Tiny steel balls grip the tack's pin to form a good defeat resistant wedge within the tag's clutch mechanism. The detacher draws the steel balls away from the tack's pin, releasing it from the clutch.
- Magnetic ball lock** Uses a flat metal clamp instead of a pin tack for good defeat resistance. Tiny steel balls wedge into a hole in the flat metal. The detacher draws the steel balls out of the hole, releasing the clamp.
- Permanent Ink** Will not freeze in residential freezer.